

Minimum Immunization Requirements for Those Entering a Child Care Facility or School in Illinois, Fall-2017 (Page 1)

| Vaccine Requirement | Child Care Facility, Preschool, Early Childhood Pre-Kindergarten Programs | Kindergarten through 12 th Grade | | <u>Minimum Intervals</u> Allowed Between Doses and <i>Other Options</i> for Proof of Immunity |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | First Entry into School (Kindergarten or First Grade) | Other Grades | |
| DTP/DTaP/ or Tdap, Td (Diphtheria, Tetanus, Pertussis) | Three doses by 1 year of age One additional booster dose by 2 nd birthday | Four or more doses of DTP/DTaP with the last dose qualifying as a booster and received on or after the 4 th birthday | Three or more doses of DTP/DTaP or Td; with the last dose qualifying as a booster if received on or after the 4 th birthday For Students entering 6 th thru 12 th grades: 1 dose of Tdap | Minimum interval between series doses: 4 weeks (28 days) Between series and booster: 6 months <i>No proof of immunity allowed</i> |
| Polio | Two doses by 1 year of age. One additional dose by 2 nd birthday | Four or more doses of the same type of Polio vaccine with the last dose qualifying as a booster and received on or after the 4 th birthday. (progressive requirement) | Three or more doses of Polio with the last dose qualifying as a booster and received on or after the 4 th birthday. *If the series is given in any combination of polio vaccine types, 4 or more doses are required with the last being a booster on or after the 4 th birthday. | Minimum interval between series doses: 4 weeks (28 days) For Grade K: 6 month interval between 3 dose series and booster; booster must be on or after 4 th birthday <i>No proof of immunity allowed</i> |
| Measles | One dose on or after the 1 st birthday but prior to 24 months of age | Two doses of Measles Vaccine, the 1 st dose must have been received on after the 1 st birthday and the second dose no less than 4 weeks (28 days) later. | | Laboratory evidence of measles immunity OR Certified physician verification* of measles disease by date of illness *Cases diagnosed after 7/1/2002 must include lab evidence of infection |
| Rubella | One dose on or after the 1 st birthday but prior to 24 months of age | Two doses of Rubella Vaccine, the 1 st dose must have been received on after the 1 st birthday and the second dose no less than 4 weeks (28 days) later. | | Laboratory evidence of rubella immunity History of disease is not acceptable proof of immunity to rubella |
| Mumps | One dose on or after the 1 st birthday but prior to 24 months of age | Two doses of Mumps Vaccine, the 1 st dose must have been received on after the 1 st birthday and the second dose no less than 4 weeks (28 days) later. | | Laboratory evidence of mumps immunity OR Certified physician verification of mumps disease by date of illness |
| <i>Haemophilus influenzae</i> type b | Refer to Hib ACIP recs for schedule for series Children 24-59 mos. without series must have one dose after 15 mos. of age | Not required after the 5 th birthday (60 months of age) | | Refer to ACIP Hib vaccination schedule <i>No proof of immunity allowed</i> |

Minimum Immunization Requirements for Those Entering a Child Care Facility or School in Illinois, Fall-2017 (Page 2)

| Vaccine Requirement | Child Care Facility, Preschool, Early Childhood Pre-Kindergarten Programs | Kindergarten through 12 th Grade | | <u>Minimum Intervals Allowed Between Doses and Other Options for Proof of Immunity</u> |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | First Entry into School (Kindergarten or First Grade) | All Other Grades | |
| Hepatitis B | <p>Three doses for all children</p> <p>Third dose must have been administered on or after 6 months of age (168 days)</p> | No Requirements | <p>For Students entering grades 6 thru 12:</p> <p>Three doses hepatitis B vaccine administered at recommended intervals</p> | <p>Minimum intervals between doses: 1 & 2- at least 4 weeks (28 days) 2 & 3 - at least 2 months (56 days) 1 & 3 - at least 4 months (112 days)</p> <p><i>Laboratory evidence of prior or current infection</i></p> |
| Varicella (progressive requirement) | <p>One dose on or after 1st birthday</p> | <p>Two doses of Varicella Vaccine, for Students entering Kindergarten or first grade</p> <p>The 1st dose must have been received on after the 1st birthday and the second dose no less than 4 weeks (28 days) later.</p> | <p>One dose of Varicella on or after the 1st birthday for Students entering grades 3, 4, 5, & 12</p> <hr/> <p>Two doses of Varicella Vaccine for Students entering grades 2, 6, 7, 8, 9, 10, & 11</p> | <p>Minimum intervals for administration: The 1st dose must have been received on after the 1st birthday and the second dose no less than 4 weeks (28 days) later.</p> <p><i>Statement from physician or health care provider verifying disease history OR Laboratory evidence of varicella immunity</i></p> |
| Meningococcal Conjugate Vaccine (progressive requirement) | No Requirements | No Requirements | <p>Applies to Students entering grades 6, 7, or 12 beginning 2016-2017 school year</p> <p>1 dose of Meningococcal vaccine for entry to grade 6 or 7</p> <p>2 doses of Meningococcal vaccine at entry to 12th grade</p> | <p>Minimum intervals for administration: The first dose received on or after the 10th birthday; second dose at least eight weeks after the 1st dose.</p> <p>Only one dose is required if the first dose was received at 16 years of age or older.</p> <p><i>No proof of immunity allowed.</i></p> |

Source: Child Health Examination Code/Part 665

Prepared by: Illinois Department of Public Health Immunization Section, January 2016